


PART 3 Clouds



Clouds

A <u>cloud</u> is a visible mass of billions of tiny water droplets or ice crystals suspended in the atmosphere.

- In general, clouds develop in any air mass that becomes saturated (relative humidity becomes 100%).
- Saturation occurs due to either or both of two processes: cooling of the air and adding water vapor.






- Ingredients required for cloud formation:
 - water vapor (water in a gaseous state)
 - cooling conditions
 - a surface to condense/deposit on (condensation nuclei)

Condensation Nuclei

Similar to dew and frost, water vapor requires a surface of some sort to condense on - we call these airborne particles cloud condensation nuclei.



Typical size ~1-100μm.

Terrestrial Sources

- > Dust/sand/dirt particles
- Smoke volcanic, fires, and pollution
- > Pollens and spores
- Oceanic Sources
 - > Sea Salts


Without these particles clouds would not form!

Cooling Conditions


Generally, the air must rise in order for it to cool.

What can cause the air to rise?

Convectional lifting is associated with heating of the air at the ground surface. This process is active in the interior of continents and near the equator.




Orographic uplift occurs when air is forced to rise because of the physical presence of elevated land such as mountains.



Cooling Conditions


rising air

Frontal lifting
(convergence) takes
place when two masses
of air come together.
This mechanism of cloud
formation is common at
mid-latitudes.




rapid surface cooling

Radiative cooling occurs when the Sun is no longer supplying the ground and overlying air with energy (that is, night time). The clouds that result from this type of cooling take the form of surface fog.




Basic Cloud Formation

As the air rises, it encounters less pressure. The air parcels expand and cool (called adiabatic cooling).



- When the air is cooled to the dew point, condensation occurs and clouds begin to form.
 - At higher altitudes, the dew point is the frost point, so water vapor deposition occurs resulting in ice clouds formation.

Floating Conditions



 A cloud will float as long as the drag force of the air dominates over the gravitational force for its constituent water droplets.

- Clouds exist in the <u>moving air</u>: rising up due to pressure gradient or pushed along by wind.
- Moving air creates a drag force.




Precipitation

Oroplets suspended in the air will interact with each other, either by colliding and bouncing off each other or by combining to form a larger droplet.


 Eventually, they become large enough so that the acceleration due to gravity is much larger than the acceleration due to drag.





 These relatively large droplets than fall to the ground as <u>precipitation</u>.

Clouds Classification



Based on: • altitude of their bases/bottoms (alto, strato)

shape (cumulus, cirrus)presence of rain (nimbus)

Thunderstorm

A <u>thunderstorm</u> (aka an *electrical storm*, a *lightning storm*, or a *thundershower*) is a type of storm characterized by the presence of <u>lightning</u> and its acoustic effect, <u>thunder</u>.

Thunderstorms result from the rapid upward movement of warm, moist air.



- In the <u>Northern hemisphere</u>, especially in North America, thunderstorms occur most often between the months of March and September.
- In a typical thunderstorm, approximately 500,000,000 kg (~1.1 billion lb) of water vapor are lifted into the Earth's atmosphere.
- Thunderstorms have also been observed on Jupiter and Venus.