

# MATH 6

## ASSIGNMENT 4: TRUTH TABLES AND LOGIC LAWS

### TRUTH TABLES

**Logical variables:** take value True (T) or False (F).

**Basic logic operations:**

NOT (for example, NOT  $A$ ): true if  $A$  is false, and false if  $A$  is true.

AND (for example  $A$  AND  $B$ ): true if both  $A, B$  are true, and false otherwise

OR (for example  $A$  OR  $B$ ): true if at least one of  $A, B$  is true, and false otherwise. Sometimes also called “inclusive or” to distinguish it from the “exclusive or” described below

IF (as in “if  $A$ , then  $B$ ; written  $A \implies B$ ): if  $A$  is false, automatically true; if  $A$  is true, it is true only when  $B$  is true

As in usual algebra, logic operations can be combined, e.g.  $(A \text{ OR } B) \text{ AND } C$ .

**Truth tables:** If we have a logical formula involving variables  $A, B, C, \dots$ , we can make a table listing, for every possible combination of values of  $A, B, \dots$ , the value of our formula. For example, the following is the truth tables for OR and IF:

$A$	$B$	$A \text{ OR } B$	$A$	$B$	$A \implies B$
T	T	T	T	T	T
T	F	T	T	F	F
F	T	T	F	T	T
F	F	F	F	F	T

Truth tables are useful in solving the problems about knights and knaves. Here is a typical problem: on the island of knights and knaves you meet two inhabitants, Zed and Alice. Zed tells you, ‘I am a knight or Alice is a knave.’ Alice tells you, ‘Of Zed and I, exactly one is a knight.’ We could solve it by making the following table:

Zed	Alice	Z is a knight or A is a knave	Of Z and A, exactly one is a knight
knight	knight	T	F
knight	knave	T	T
knave	knight	F	T
knave	knave	T	F

### LOGIC LAWS

We can combine logic operations, creating more complicated expressions such as  $A \text{ AND } (B \text{ OR } C)$ . As in arithmetic, these operations satisfy some laws: for example  $A \text{ OR } B$  is the same as  $B \text{ OR } A$ . Here are two other laws:

NOT( $A \text{ AND } B$ ) is the same as (NOT  $A$ ) OR (NOT  $B$ )

$A \implies B$  is the same as (NOT  $B$ )  $\implies$  (NOT  $A$ )

Truth tables provide the easiest way to prove complicated logical rules: if we want to prove that two formulas are equivalent (i.e., always give the same answer), make a truth table for each of them, and if the tables coincide, they are equivalent.

**Continued on reverse**

1. On the island next to the island of knights and knaves there are 3 kinds of people:  
     knights, who always tell the truth  
     knaves, who always lie  
     normal people, who sometimes lie and sometimes tell the truth  
     On that island, you meet 3 people, A, B, and C, one of whom is a knight, one a knave, and one normal (but not necessarily in that order). They make the following statements:  
     A: I am normal  
     B: That is true  
     C: I am not normal  
     What are A, B, and C?
2. Check whether  $A \implies B$  and  $B \implies A$  are equivalent, by writing the truth table for each of them.
3. Check that  $A \implies B$  is equivalent to  $(\text{NOT } A) \text{ OR } B$  (thus, “if you do not clean up your room, you will be punished” and “clean up your room, or you will be punished” are the same).
4. A teacher tells the student “If you do not take the final exam, you get an F”. Does it mean that
  - (a) If the student does take the final exam, he will not get an F
  - (b) If the student does not get an F, it means he must have taken the final exam.
5. Write the truth table for each of the following formulas. Are they equivalent (i.e., do they always give the same value)?
  - (a)  $(A \text{ OR } B) \text{ AND } (A \text{ OR } C)$
  - (b)  $A \text{ OR } (B \text{ AND } C)$ .
6. Define a new logical operation, XOR (exclusive or) as follows:  $A \text{ XOR } B$  is true if exactly one of  $A, B$  is true, and false otherwise.
  - (a) Write the truth table for  $A \text{ XOR } B$ .
  - (b) Can you express XOR using only AND, OR, and NOT (that is, write a formula equivalent to  $A \text{ XOR } B$  using only AND, OR, and NOT)?
7. (a) Write truth tables for formulas  $A \text{ AND } (B \text{ OR } C)$  and  $(A \text{ AND } B) \text{ OR } C$  (hint: there will be 8 rows in the table). Are these formulas equivalent (i.e., do they always give the same answer)?
  - (b) The waiter in a restaurant tells you: “our fixed price dinner includes soup and appetizer or salad.” Denoting  
      $A$  = your dinner will include soup  
      $B$  = your dinner will include appetizer  
      $C$  = your dinner will include salad  
     what would be the correct way to write his statement using letters  $A, B, C$  and logical operations AND, OR?
8. You probably know Lewis Carroll as the author of *Alice in Wonderland* and other books. What you might not know is that he was also a mathematician very much interested in logic, and had invented a number of logic puzzles. Here is one of them:  
     You are given 3 statements.  
     (a) All babies are illogical.  
     (b) Nobody is despised who can manage a crocodile.  
     (c) Illogical persons are despised.  
     Can you guess what would be the natural conclusion from these 3 statements?