

**MATH 7: HOMEWORK 20**  
**COORDINATE GEOMETRY: HYPERBOLAS AND PARABOLAS**

REVIEW OF QUADRATIC EQUATIONS

Here is what we have learned so far about quadratic equations:

- A **quadratic polynomial** is an expression of the form  $p(x) = ax^2 + bx + c$ .
- **Roots** of a quadratic polynomial are numbers such that  $p(x) = 0$ . If  $x_1, x_2$  are roots, then  $p(x) = a(x - x_1)(x - x_2)$ .
- **Vietá formulas:** If  $x_1, x_2$  are roots of  $x^2 + bx + c$ , then

$$\begin{aligned}x_1 + x_2 &= -b \\ x_1x_2 &= c\end{aligned}$$

- **Completing the square:** we can rewrite

$$(1) \quad ax^2 + bx + c = a \left( x + \frac{b}{2a} \right)^2 - \frac{D}{4a} = a \left( \left( x + \frac{b}{2a} \right)^2 - \frac{D}{4a^2} \right)$$

where  $D = b^2 - 4ac$ .

From this, one gets the **quadratic formula**: if  $D < 0$ , there are no roots; if  $D \geq 0$ , then the roots are

$$(2) \quad x_{1,2} = \frac{-b \pm \sqrt{D}}{2a}$$

- From formula (1), we see that:
  - If  $a > 0$ , then the **smallest** possible value of  $p(x)$  is  $-\frac{D}{4a}$ , which happens when  $x = -\frac{b}{2a}$ . In this case the graph is a parabola with branches going up.
  - If  $a < 0$ , then the **largest** possible value of  $p(x)$  is  $-\frac{D}{4a}$ , which happens when  $x = -\frac{b}{2a}$ . In this case the graph is a parabola with branches going down.

GRAPHS OF QUADRATIC FUNCTIONS


- We know how to draw the graph of  $y = x^2$ . It's a parabola.
- We know that the graph of  $y = x^2 + b$  can be obtained from the graph of  $y = x^2$  by shifting up by  $b$  units (or down, if  $b < 0$ )
- We know that the graph of  $y = (x + a)^2$  can be obtained from the graph of  $y = x^2$  by shifting *left* by  $a$  units (or right, if  $a < 0$ ).
- Based on the two fact above, we can draw a graph of any function of the type  $y = (x + a)^2 + b$ .

We can transform any quadratic function  $y = x^2 + px + q$  to  $y = (x + a)^2 + b$  by completing the square.

PROPERTIES OF A PARABOLA

A parabola is the set of all points in a plane that are equally distant away from a given point and a given line (see black dotted lines).

This given point is called the **focus** (black dot) of the parabola and the line is called the **directrix** (green line). If the parabola is of the form  $(x-h)^2 = 4p(y-k)$ , the vertex is  $(h,k)$ , the focus is  $(h, k+p)$  and directrix is  $y = k-p$



### HOMEWORK

1. For what values of  $a$  does the polynomial  $x^2 + ax + 14$  has no roots? exactly one root? two roots?
2. Let  $x_1, x_2$  be the roots of the equation  $x^2 + 3x + 4 = 0$ . Without calculating the roots, find:
  - (a)  $x_1^2 + x_2^2$
  - (b)  $\frac{1}{x_1^2} + \frac{1}{x_2^2}$
3. A circle with center  $(3, 5)$  intersects the  $y$ -axis at  $(0, 1)$ .
  - (a) Find the radius of the circle
  - (b) Find the coordinates of the other point of intersection on the  $y$ -axis
  - (c) What are the coordinates of the intersection points of the circle with the  $x$ -axis?
4. Of all the rectangles with perimeter 4, which one has the largest area?  
 [Hint: if sides of the rectangle are  $a$  and  $b$ , then the area is  $A = ab$ , and the perimeter is  $2a + 2b = 4$ . Thus,  $b = 2 - a$ , so one can write  $A$  using only  $a$ . . . ]
5. Prove that for any point  $P$  on the parabola  $y = \frac{x^2}{4} + 1$ , the distance from  $P$  to the  $x$ -axis is equal to the distance from  $P$  to the point  $(0, 2)$ .
6. Use completing the square method to draw the following graphs:
 

(a) $y = x^2 - 5x + 5$	(d) $y = -x^2 + 3x - 0.5$
(b) $y = x^2 - 4x + 2$	(e) $y = x^2 + 4x - 4$
(c) $y = x^2 - x - 1$	
7. Graph  $y = (\sqrt{x})^2$ . Note  $x \geq 0$
8. A triangle ABC has corners  $A(-3, 0)$ ,  $B(0, 3)$  and  $(3, 0)$ . The line  $y = \frac{1}{3}x + 1$  separates the triangle in 2. What is the area of the piece lying below the line?
9. Sketch graphs of the following functions:
 

(a) $y = (x - 1)^2 + 1$	(d) $y = \frac{x + 2}{x + 1}$
(b) $y = \frac{1}{x + 2} + 1$	(e) $y = \left  \frac{1}{x - 1} + 1 \right $
(c) $y = \frac{1}{2 - x}$	