

Work and Kinetic Energy

Starting with the 2nd Newton's Law:

$$F = ma$$

One can derive another important result:

“Change in **kinetic energy** is equal to the **mechanical work** done by all forces”

$$\Delta K = W$$

$$K = \frac{mv^2}{2},$$

is called Kinetic Energy of an object

$$W = F\Delta x,$$

is called Mechanical Work

(Work = Force x Displacement)

Potential Energy

Work by done by gravity depends only on initial and finite height h

$$W_{gravity} = -mg\Delta h$$

therefore,

$$\Delta K = -\Delta mgh + W_{\text{not gravity}}$$

$U = mgh$ is called Potential Energy


$$\Delta(K + U) = W_{\text{not gravity}}$$

Therefore, if there is no forces other than gravity (no friction, engine or other external force), Total Energy (Kinetic + Potential) is conserved:

$$E = K + U = \text{const}$$

$$\Delta E = W_{\text{not gravity}}$$

Energy Conservation and Change



Change in Energy = Work

$$W = F\Delta x$$

Unit of Energy & Work is called Joule (J)

$$1J = 1N \cdot m = 1 \frac{kg \cdot m^2}{s^2}$$

Homework

Problem 1. A cart without any motor or other external source of energy is moving with a constant speed $v=2\text{m/s}$ on a flat road. At some point, it climbs up a ramp of height $h=15\text{ cm}$ (0.15 m), and continues moving on a flat road. What is its speed at that moment, if no energy is lost?



Problem 2. A bobsleigh goes down the track whose initial point is at height $h=150\text{ m}$. If there were no friction and no air resistance during the descend, find the distance d that bobsleigh had to travel after the finish line, before coming to a complete stop. Coefficient of kinetic friction on that horizontal part of the trip is $\mu=0.5$.